GUINEA



STATISTICAL PROFILE ON FEMALE GENITAL MUTILATION/CUTTING

Female genital mutilation/cutting (FGM/C) refers to "all procedures involving partial or total removal of the female external genitalia or other injury to the female genital organs for non-medical reasons." More than 125 million girls and women alive today have been cut in the 29 countries in Africa and the Middle East where FGM/C is concentrated. As many as 30 million girls are at risk of being cut before their 15th birthday if current trends continue. FGM/C is a violation of girls' and women's human rights and is condemned by many international treaties and conventions, as well as by national legislation in many countries. Yet, where it is practised FGM/C is performed in line with tradition and social norms to ensure that girls are socially accepted and marriageable, and to uphold their status and honour and that of the entire family. UNICEF works with government and civil society partners towards the elimination of FGM/C in countries where it is still practised.

1. World Health Organization, Eliminating Female Genital Mutilation: An interagency statement, WHO, UNFPA, UNICEF, UNIFEM, OHCHR, UNHCR, UNECA, UNESCO, UNDP, UNAIDS WHO, Geneva, 2008, p. 4.

1965

National decree/legislation banning FGM/C passed (amended in 2000)

SELECTED STATISTICS ON WOMEN'S STATUS

of women 20-24 years were married or in union before age 15

of women 20-24 years were married or in union before age 18

40 % of women 20-24 years have given birth by age 18

92% of women 15-49 years think that a husband/partner is justified in hitting/beating his wife under certain circumstances


of women 15-49 years make use of at least one type of information media at least once a week (newspaper, magazine, television or radio)


Source: DHS/MICS 2012





HOW WIDESPREAD IS THE PRACTICE?

The practice of FGM/C is nearly universal among girls and women of reproductive age in Guinea












WHEN AND HOW IS FGM/C PERFORMED?

The majority of girls are cut between the ages of five and nine; around one in three undergo the procedure by a health professional









Notes:
The boundaries and the names shown and the designations used on the map do not imply official endorsement or acceptance by the United Nations. Only categories with 25 or more unweighted cases are presented. Due to rounding, some of the data presented may not add up to 100 per cent. Prevalence data for girls aged 0 to 14 reflect their current, but not final, FGM/C status since some girls who have not been cut may still be at risk of experiencing the practice once they reach the customary age for cutting. Therefore, the data on prevalence for girls under age 15 is actually an underestimation of the true extent of the practice. Since age at cutting varies among settings, the amount of underestimation also varies and this should be kept in mind when interpreting all FGM/C prevalence data for this age group. Older data are used to report on age at cutting since data from the most recent survey includes some girls aged 0 to 14 years who have not undergone FGM/C but are still at risk of experiencing the practice once they have reached the customary age for cutting. Health personnel' includes doctors, nurses, midwives and other health workers; 'Traditional practitioner' includes traditional indivives and other types of traditional practitioner' fincludes traditional midwives and other types of traditional practitioner' for traditional practitioner' for traditional practitioner' for traditional ofter types of traditional practitioner' for traditional orter types of traditional practitioner.


Source for all charts on this page: DHS/MICS 2012 unless otherwise noted.

WHAT ARE THE PREVAILING ATTITUDES TOWARDS FGM/C?

Girls and women are more likely to support the continuation of the practice than boys and men








Source for all of the above charts: DHS/MICS 2012

IS THE PRACTICE OF FGM/C CHANGING?

There has been no significant change in the prevalence of FGM/C in Guinea





■ Prevalence of FGM/C Think FGM/C should continue 99 97 96 100 76 80 68 69 60 20 0 DHS 1998 DHS/MICS 2012 DHS/MICS 2006


Source: DHS/MICS 2012

GUINEA

INTER-COUNTRY STATISTICAL OVERVIEW







Notes: Data on attitudes for Yemen refer to ever-married girls and women. In Liberia, girls and women who have heard of the Sande society were asked whether they were members; this provides indirect information on FGM/C since it is performed during initiation into the society. Egypt data refer to girls aged 0-17 years who have undergone FGM/C. Data on attitudes for Ghana are from MICS 2006 and for Sierra Leone from DHS 2008 as data from the most recently available MICS surveys are not comparable. In Liberia, only cut girls and women were asked about their attitudes towards FGM/C; since girls and women from practising communities are more likely to support the practice, the level of support in this country as captured by the DHS 2007 is higher than would be anticipated had all girls and women been asked their opinion.

Sources: DHS, MICS, National Social Protection Monitoring Survey, Population and Health Survey, SHHS and Welfare Monitoring Survey, 1997-2013

Updated July 2014



These country profiles were made possible through core funding to UNICEF and financial assistance of the European Union. The contents of these country profiles are the sole responsibility of UNICEF and can in no way reflect the views of the European Union.

FOR MORE INFORMATION

Data and Analytics Section - Division of Policy and Strategy

UNICEF, 3 UN Plaza, New York, 10017
Website: data.unicef.org Email: data@unicef.org